



ELECTRIC
GATES.INFO

SUBSIDIARY OF D.ALLUM FABRICATIONS LTD

MANUFACTURES, INSTALLERS &
SUPPLIERS OF HIGH QUALITY BESPOKE

ENTANCE GATES





WHO WE ARE



Established in 1983, D. Allum Fabrications Limited is a family business with a reputation for manufacturing, supplying & installing a large array of bespoke automated gateway systems.

All of our automation installation's have a risk assessment taken before any work commences to ensure our gates & our automation systems best suit the opening. We take into account the proximity of the adjacent walls, fencing, pillars & posts to make sure any trap points are pointed out.

All of our automation engineers are fully trained in the installation of gate automation & have been on training courses regarding UK safety law & EN standard automation installations.


Our factory & offices are based in Stourport - upon - Severn in Worcestershire. Giving us the advantage of being based in the midlands, and having fast access to the motorway networks, allowing a fast response to emergency call outs.

No Job is too big or too small, from installing access control computer systems to repair work on damaged gates, we at D.Allum Fabrications Ltd are here & ready to help.




HEAVY WEIGHT DOUBLE GATES

For Manual & Automation




Choice of tops for all Gates & Railings

Gates are made from **40x40** box section hinge side and base rail with **40x10** flat central & top rail with **16mm** solid bar. All gates are powder coated.




The Netherton
- Opening Sizes Available

10'0" - 10'6"	13'6" - 14'6"
10'6" - 11'6"	14'6" - 15'6"
11'6" - 12'6"	15'6" - 16'0"
12'6" - 13'6"	




The Chaddersley
- Opening Sizes Available

10'0" - 10'6"	13'6" - 14'6"
10'6" - 11'6"	14'6" - 15'6"
11'6" - 12'6"	15'6" - 16'0"
12'6" - 13'6"	




The Bewdley
- Opening Sizes Available

10'0" - 10'6"	13'6" - 14'6"
10'6" - 11'6"	14'6" - 15'6"
11'6" - 12'6"	15'6" - 16'0"
12'6" - 13'6"	




The Belbroughton
- Opening Sizes Available

10'0" - 10'6"	13'6" - 14'6"
10'6" - 11'6"	14'6" - 15'6"
11'6" - 12'6"	15'6" - 16'0"
12'6" - 13'6"	




The Norton
- Opening Sizes Available

10'0" - 10'6"	13'6" - 14'6"
10'6" - 11'6"	14'6" - 15'6"
11'6" - 12'6"	15'6" - 16'0"
12'6" - 13'6"	




The Wordsley
- Opening Sizes Available

10'0" - 10'6"	13'6" - 14'6"
10'6" - 11'6"	14'6" - 15'6"
11'6" - 12'6"	15'6" - 16'0"
12'6" - 13'6"	




The Tewkesbury
- Opening Sizes Available

10'0" - 10'6"	13'6" - 14'6"
10'6" - 11'6"	14'6" - 15'6"
11'6" - 12'6"	15'6" - 16'0"
12'6" - 13'6"	




The Stratford
- Opening Sizes Available

10'0" - 10'6"	13'6" - 14'6"
10'6" - 11'6"	14'6" - 15'6"
11'6" - 12'6"	15'6" - 16'0"
12'6" - 13'6"	




The Malvern
- Opening Sizes Available

10'0" - 10'6"	13'6" - 14'6"
10'6" - 11'6"	14'6" - 15'6"
11'6" - 12'6"	15'6" - 16'0"
12'6" - 13'6"	




The Worcester
- Opening Sizes Available

10'0" - 10'6"	13'6" - 14'6"
10'6" - 11'6"	14'6" - 15'6"
11'6" - 12'6"	15'6" - 16'0"
12'6" - 13'6"	




The Pedmore
- Opening Sizes Available

10'0" - 10'6"	13'6" - 14'6"
10'6" - 11'6"	14'6" - 15'6"
11'6" - 12'6"	15'6" - 16'0"
12'6" - 13'6"	




The Sandwell
- Opening Sizes Available

10'0" - 10'6"	13'6" - 14'6"
10'6" - 11'6"	14'6" - 15'6"
11'6" - 12'6"	15'6" - 16'0"
12'6" - 13'6"	



The Pennyford
- Opening Sizes Available

10'0" - 10'6"	13'6" - 14'6"
10'6" - 11'6"	14'6" - 15'6"
11'6" - 12'6"	15'6" - 16'0"
12'6" - 13'6"	




The Sutton
- Opening Sizes Available

10'0" - 10'6"	13'6" - 14'6"
10'6" - 11'6"	14'6" - 15'6"
11'6" - 12'6"	15'6" - 16'0"
12'6" - 13'6"	


HEAVY WEIGHT DOUBLE GATES

For Manual & Automation




Choice of tops for all Gates & Railings

Gates are made from **40x40** box section hinge side and base rail with **40x10** flat central & top rail with **16mm** solid bar. All gates are powder coated.




The Wilden
- Opening Sizes Available

10'0" - 10'6"	13'6" - 14'6"
10'6" - 11'6"	14'6" - 15'6"
11'6" - 12'6"	15'6" - 16'0"
12'6" - 13'6"	




The Dunley
- Opening Sizes Available

10'0" - 10'6"	13'6" - 14'6"
10'6" - 11'6"	14'6" - 15'6"
11'6" - 12'6"	15'6" - 16'0"
12'6" - 13'6"	




The Astley
- Opening Sizes Available

10'0" - 10'6"	13'6" - 14'6"
10'6" - 11'6"	14'6" - 15'6"
11'6" - 12'6"	15'6" - 16'0"
12'6" - 13'6"	




The Witley
- Opening Sizes Available

10'0" - 10'6"	13'6" - 14'6"
10'6" - 11'6"	14'6" - 15'6"
11'6" - 12'6"	15'6" - 16'0"
12'6" - 13'6"	




The Prestwood
- Opening Sizes Available

10'0" - 10'6"	13'6" - 14'6"
10'6" - 11'6"	14'6" - 15'6"
11'6" - 12'6"	15'6" - 16'0"
12'6" - 13'6"	




The Beckford
- Opening Sizes Available

10'0" - 10'6"	13'6" - 14'6"
10'6" - 11'6"	14'6" - 15'6"
11'6" - 12'6"	15'6" - 16'0"
12'6" - 13'6"	




The Stourton
- Opening Sizes Available

10'0" - 10'6"	13'6" - 14'6"
10'6" - 11'6"	14'6" - 15'6"
11'6" - 12'6"	15'6" - 16'0"
12'6" - 13'6"	




The Kenilworth
- Opening Sizes Available

10'0" - 10'6"	13'6" - 14'6"
10'6" - 11'6"	14'6" - 15'6"
11'6" - 12'6"	15'6" - 16'0"
12'6" - 13'6"	




The Cookley
- Opening Sizes Available

10'0" - 10'6"	13'6" - 14'6"
10'6" - 11'6"	14'6" - 15'6"
11'6" - 12'6"	15'6" - 16'0"
12'6" - 13'6"	




The Becketts
- Opening Sizes Available

10'0" - 10'6"	13'6" - 14'6"
10'6" - 11'6"	14'6" - 15'6"
11'6" - 12'6"	15'6" - 16'0"
12'6" - 13'6"	




The Hartlebury
- Opening Sizes Available

10'0" - 10'6"	13'6" - 14'6"
10'6" - 11'6"	14'6" - 15'6"
11'6" - 12'6"	15'6" - 16'0"
12'6" - 13'6"	




The Martley
- Opening Sizes Available

10'0" - 10'6"	13'6" - 14'6"
10'6" - 11'6"	14'6" - 15'6"
11'6" - 12'6"	15'6" - 16'0"
12'6" - 13'6"	



The Henley
- Opening Sizes Available

10'0" - 10'6"	13'6" - 14'6"
10'6" - 11'6"	14'6" - 15'6"
11'6" - 12'6"	15'6" - 16'0"
12'6" - 13'6"	




The Feckenham
- Opening Sizes Available

10'0" - 10'6"	13'6" - 14'6"
10'6" - 11'6"	14'6" - 15'6"
11'6" - 12'6"	15'6" - 16'0"
12'6" - 13'6"	


MEDIUM WEIGHT DOUBLE GATES

For Manual & Automation




Choice of tops for all Gates & Railings

Gates are made from 30mm x 30mm box section hinge side and base rail with 30mm x 8mm flat central & top rail with 12mm solid bar. All gates are powder coated.




The Pennyford
- Opening Sizes Available

08'0" - 08'6"	12'6" - 13'6"
08'6" - 09'6"	13'6" - 14'6"
09'6" - 10'6"	14'6" - 15'6"
10'6" - 11'6"	15'6" - 16'0"
11'6" - 12'6"	




The Wilden
- Opening Sizes Available

08'0" - 08'6"	12'6" - 13'6"
08'6" - 09'6"	13'6" - 14'6"
09'6" - 10'6"	14'6" - 15'6"
10'6" - 11'6"	15'6" - 16'0"
11'6" - 12'6"	




The Dunley
- Opening Sizes Available

08'0" - 08'6"	12'6" - 13'6"
08'6" - 09'6"	13'6" - 14'6"
09'6" - 10'6"	14'6" - 15'6"
10'6" - 11'6"	15'6" - 16'0"
11'6" - 12'6"	




The Sutton
- Opening Sizes Available

08'0" - 08'6"	12'6" - 13'6"
08'6" - 09'6"	13'6" - 14'6"
09'6" - 10'6"	14'6" - 15'6"
10'6" - 11'6"	15'6" - 16'0"
11'6" - 12'6"	



The Astley
- Opening Sizes Available

08'0" - 08'6"	12'6" - 13'6"
08'6" - 09'6"	13'6" - 14'6"
09'6" - 10'6"	14'6" - 15'6"
10'6" - 11'6"	15'6" - 16'0"
11'6" - 12'6"	



The Witley
- Opening Sizes Available

08'0" - 08'6"	12'6" - 13'6"
08'6" - 09'6"	13'6" - 14'6"
09'6" - 10'6"	14'6" - 15'6"
10'6" - 11'6"	15'6" - 16'0"
11'6" - 12'6"	

WOODEN ENTRANCE GATES



D.Allum Fabrications Ltd are an approved Suffolk Gates Installer, with are vast experience installing gates & gate automation systems you know your gates will be installed professionally and with the greatest care.

Information - All gates are constructed to a very high standard using planed softwood joinery Redwood timbers or kiln dried Iroko hardwood.

Gates are constructed Ex 70mm frame thickness using traditional mortice and tennon joints which are glued and fixed with hardwood dowels. All pairs of gates are supplied with a loose central closing plate but can be rebated on request.

All softwood gates are treated with Kingfisher water repellent tinted base coat, but require finishing with a solvent or oil based wood stain within 1 month of installation. Iroko hardwood gates can be left untreated, however if a long term fresh appearance is required a wood stain should be applied. In between sizes are available and are charged at the nearest size upwards shown in the price list. Alternative designs can be made upon request.

Recommended post sizes: -200mm square posts for 3.3m to 4.2m wide o/a gates, 175mm square posts for 3.0m wide o/a gates, 150mm square posts for 1.2m wide single gates and 125mm square posts for 1.050m and 900mm single gates. All posts to be 900mm below ground level.

Recommended post sizes: -200mm square posts for 3.3m to 4.2m wide o/a gates, 175mm square posts for 3.0m wide o/a gates, 150mm square posts for 1.2m wide single gates and 125mm square posts for 1.050m and 900mm single gates. All posts to be 900mm below ground level.






POST

CANTILEVER SLIDING GATE

For Manual & Automation



Advantages:

- No need for a rail and therefore less groundwork when installing
- No need to keep the area below the gate completely clear of debris
- Quieter operation
- Can be used on uneven ground

Disadvantages:

- More space is required to the side of the gate to accommodate the additional structure
- Less suitable for very wide openings



ROLLER TRACK SLIDING GATE

For Manual & Automation



Advantages:

- They can span wider openings (as the gate is fully supported along its run)
- Relatively simpler mechanically

Disadvantages:

- The ground surface must be reasonably level
- The rail must be kept clear of debris (so for some sites this might need frequent attention)



METAL FRAMED WOODEN ESTATE GATES

For Manual & Automation


These gates have been specially designed by D.Allum Fabrications Ltd to give the customer the best of both worlds, the strength & longevity of steel with the natural warmth and privacy of wood.

The Pine Redwood boards are laid on an inner frame within the main steel box-section frame. Each tongue & groove plank is secured to the steel frame by using 3 stainless steel coach bolts top middle & bottom.

The steel frame is powder coated black as standard and the timber is pressure treated before being fixed to the gate.

The steel box-section frame gives the entrance gates the added strength which makes them ideal for gate automation both above ground & underground systems.


If you don't want your gates automated we supply a keyed handled lock built into the box for £100.00



The Cofton

- Opening Sizes Available


10'0" - 10'6"	13'6" - 14'6"
10'6" - 11'6"	14'6" - 15'6"
11'6" - 12'6"	15'6" - 16'0"
12'6" - 13'6"	



The Heronswood

- Opening Sizes Available


10'0" - 10'6"	13'6" - 14'6"
10'6" - 11'6"	14'6" - 15'6"
11'6" - 12'6"	15'6" - 16'0"
12'6" - 13'6"	



The Inkberrow

- Opening Sizes Available

10'0" - 10'6"	13'6" - 14'6"
10'6" - 11'6"	14'6" - 15'6"
11'6" - 12'6"	15'6" - 16'0"
12'6" - 13'6"	




The Alvechurch

- Opening Sizes Available

10'0" - 10'6"	13'6" - 14'6"
10'6" - 11'6"	14'6" - 15'6"
11'6" - 12'6"	15'6" - 16'0"
12'6" - 13'6"	




FENCING & RAILINGS




Choice of tops for all Gates & Railings

Railings made to measure, all shapes and all sizes.




F1

12" high 30" high
18" high 36" high
24" high 48" high
30X8 FLAT & 12mm ROUND




F2

12" high 30" high
18" high 36" high
24" high 48" high
30X8 FLAT & 12mm ROUND



F3

12" high 30" high
18" high 36" high
24" high 48" high
30X8 FLAT & 12X12 SQ



F4 & F5

12" high 30" high
18" high 36" high
24" high 48" high
30X8 FLAT & 12X12 SQ

F1H

18" high 36" high
24" high 48" high
30" high
40X10 FLAT & 16mm ROUND

F2H


18" high 36" high
24" high 48" high
30" high
40X10 FLAT & 12mm ROUND

F3H

18" high 36" high
24" high 48" high
30" high
40X10 FLAT & 12mm ROUND

F4 & F5H

18" high 36" high
24" high 48" high
30" high
40X10 FLAT & 16X16 SQ



Medium Weight

(30 x 8 Flat 12mm Bars)

36" high 60" high
48" high 66" high
54" high 72" high

Heavy Weight

(40 x 10 Flat 16mm Bars)

36" high 60" high
48" high 66" high
54" high 72" high

Lower Carriage With Rings Medium Weight


(30 x 8 Flat 12mm Bars)

36" high 60" high
48" high 66" high
54" high 72" high

Lower Carriage With Rings Heavy Weight


(40 x 10 Flat 16mm Bars)

36" high 60" high
48" high 66" high
54" high 72" high




F6

Price on request
30X8 FLAT & 12mm ROUND




F7

Price on request
30X8 FLAT & 12mm ROUND




F8

Price on request
30X8 FLAT & 12mm ROUND




F9

Price on request
30X8 FLAT & 12mm ROUND




F10

Price on request
30X8 FLAT & 12mm ROUND



F11

Price on request
30X8 FLAT & 12mm ROUND




F12

Price on request
30X8 FLAT & 12mm ROUND



F13

Price on request
30X8 FLAT & 12mm ROUND



F14



Price on request
30X8 FLAT & 12mm ROUND

WROUGHT IRON SIDE GATES



Choice of tops for all Gates & Railings

All side gates manufactured by D.Allum Fabrications Ltd come standard with a lockable deadlock.
All gates are powder coated.



Side Gate 9...£300.00

Side Gate 10...£350.00



Side Gate 9 & 10:

The Pine Redwood boards are laid on an inner frame within the main steel box-section frame. Each tongue & groove plank is secured to the steel frame by using 3 stainless steel coach bolts top middle & bottom.



WROUGHT IRON & GLASS BALUSTRADING

Balustrade can be for inside or outside. All items are powder coated where applicable. Design of balustrade is bespoke to customers requirements.



BRICK PILLARS & LIGHTING

Victorian Lantern

Medium square and medium hexagon lanterns are fitted with white reflector plates for full light displacement.

Wrought Iron frog bracket and brass bulb holder included, standard size to suit 2" post top fitting, however we can supply to suit other post top sizes.



Pillar Caps

